

Part Number	Description	Quantity (MT)
ARMCON		
11A1604-40	16-4C STR ARMCON16 600V 90C BLUE	29
11A1612-40	16-12C STR ARMCON16 600V 90C BLUE	12
11A1608-40	16-8C STR ARMCON16 600V 90C BLUE	14
SPECIAL PURPOSE CORD		
12F1402	14-2C SOOW 600V -40C TO 90C CSA	14
12F1203	12-3C SOOW 600V -40C TO 90C CSA X305M	19
12A1603	16-3C SJOOW 300V 90C TO -40C CSA X305	24
12F0603	6-3C SOOW 600V -40C TO 90C CSA X305	12
12F1610	16-10C SOOW 90C 600V CSA	14
12F1603	16-3C SOOW 600V -40C TO 90C CSA	22
12F0603	6-3C SOOW 600V -40C TO 90C CSA X305	15
12F1402	14-2C SOOW 600V -40C TO 90C CSA	23
12F0404	4-4C SOOW 600V -40C TO 90C CSA X305	10
12F1603	16-3C SOOW 600V -40C TO 90C CSA	24
12F1203	12-3C SOOW 600V -40C TO 90C CSA X305M	12
12F1610	16-10C SOOW 90C 600V CSA	29
12A1403	14-3C SJOOW 300V 90C TO -40C CSA X305	17
12F1203	12-3C SOOW 600V -40C TO 90C CSA X305M	30
12F1203	12-3C SOOW 600V -40C TO 90C CSA X305M	23
12F1203	12-3C SOOW 600V -40C TO 90C CSA X305M	16
12F1203	12-3C SOOW 600V -40C TO 90C CSA X305M	16
VFD CABLES		
14X1203	12-3C DriveRx VFD 1000V	25
PORTABLE MINING CORD		
16D00001A	4/0-1C DLO 90C CSA RW90 FT4 1KV	9
16A004	2/0-4C TYPE W 2KV 90C	25
16D01A	1/0-1C DLO 90C CSA RW90 FT4 1KV	21
16A0204	2-4C TYPE W 600V/2KV 90C	27
16A004	2/0-4C TYPE W 2KV 90C	19
STANDARD TECK		
19A1015	10-15C TECK 600V	14
19A1025	10-25C TECK 600V	29
19A1040	10-40C TECK 600V	10
19A1025	10-25C TECK 600V	13
19A1025	10-25C TECK 600V	28
19A1025	10-25C TECK 600V	20
19C2503	250-3C TECK 1KV	30
19A1425	14-25C TECK 600V	16
19A1210	12-10C TECK 600V	13
19C2503	250-3C TECK 1KV	12
19C1202	12-2C TECK 1KV	30
19C2503	250-3C TECK 1KV	29
19A1020	10-20C TECK 600V	13
19C0204	2-4C TECK 1KV	13
19C1002	10-2C TECK 1KV	22

19C003	2/0-3C TECK 1KV	10
19A1215	12-15C TECK 600V	10
19A1015	10-15C TECK 600V	18
19A1250	12-50C TECK 600V	30
19A1215	12-15C TECK 600V	26
19A1040	10-40C TECK 600V	12
19C1002	10-2C TECK 1KV	22
19C2503	250-3C TECK 1KV	23
19A1012	10-12C TECK 600V	13
19A1230	12-30C TECK 600V	11
19C7503	750-3C TECK 1KV	21
19B1408	14-3C&8-3C COMP TECK 600V	19
19A1030	10-30C TECK 600V	30
19A1230	12-30C TECK 600V	29
19C7503	750-3C TECK 1KV	24
19A1450	14-50C TECK 600V	15
19A1412	14-12C TECK 600V	14
19C1003	10-3C TECK 1KV	25
19A1012	10-12C TECK 600V	14
19A1040	10-40C TECK 600V	29
19A1412	14-12C TECK 600V	14
19C1004	10-4C TECK 1KV	30
19C2503	250-3C TECK 1KV	18
19A1203	12-3C TECK 600V	15
19A1407	14-7C TECK 600V	29
19C1003	10-3C TECK 1KV	29
19C2504	250-4C TECK 1KV	24
19C1003	10-3C TECK 1KV	26
19B1408	14-3C&8-3C COMP TECK 600V	19
19C5003	500-3C TECK 1KV	15
19C5003	500-3C TECK 1KV	16
19B1410	14-3C&10-3C COMP TECK 600V	25
19A1405	14-5C TECK 600V	31
19C5003	500-3C TECK 1KV	27
19C5003	500-3C TECK 1KV	16
19C5003	500-3C TECK 1KV	17
19C3504	350-4C TECK 1KV	14
19C00003	4/0-3C TECK 1KV	10
19A1430	14-30C TECK 600V	24
19A1206	12-6C TECK 600V	18
19C7503	750-3C TECK 1KV	9
19A1405	14-5C TECK 600V	27
19A1206	12-6C TECK 600V	27
19A1015	10-15C TECK 600V	18
19A1440	14-40C TECK 600V	14
19C5004	500-4C TECK 1KV	10
19C3003	300-3C TECK 1KV	16

19C003	2/0-3C TECK 1KV	12
19A1030	10-30C TECK 600V	26
19C0304	3-4C TECK 1KV	25
19A1020	10-20C TECK 600V	22
19C00003	4/0-3C TECK 1KV	13
19A1010	10-10C TECK 600V	16
19C5003	500-3C TECK 1KV	14
19C1003	10-3C TECK 1KV	20
19A1015	10-15C TECK 600V	25
19A1403	14-3C TECK 600V	12
19C0402	4-2C TECK 1KV	20
19C0402	4-2C TECK 1KV	11
19A1403	14-3C TECK 600V	14
19A1206	12-6C TECK 600V	20
19C0202	2-2C TECK 1KV	12
19A1412	14-12C TECK 600V	13
19A1420	14-20C TECK 600V	19
19C004	2/0-4C TECK 1KV	23
19C04	1/0-4C TECK 1KV	28
19C0004	3/0-4C TECK 1KV	12
19C3503	350-3C TECK 1KV	14
19C0604	6-4C TECK 1KV	13
19A1020	10-20C TECK 600V	23
19A1403	14-3C TECK 600V	25
19A1025	10-25C TECK 600V	17
19A1430	14-30C TECK 600V	13
19C1003	10-3C TECK 1KV	25
19A1420	14-20C TECK 600V	18
19A1420	14-20C TECK 600V	31
19C0803	8-3C TECK 1KV	15
19A1202	12-2C TECK 600V	13
19C0103	1-3C TECK 1KV	19
19C0204	2-4C TECK 1KV	11
19A1030	10-30C TECK 600V	17
19C0802	8-2C TECK 1KV	18
19A1410	14-10C TECK 600V	18
19C0003	3/0-3C TECK 1KV	4
19A1212	12-12C TECK 600V	22
19A1430	14-30C TECK 600V	18
19A1415	14-15C TECK 600V	13
19C5003	500-3C TECK 1KV	23
19C1003	10-3C TECK 1KV	26
19C003	2/0-3C TECK 1KV	5
19C0303	3-3C TECK 1KV	11
19A1406	14-6C TECK 600V	23
19A1003	10-3C TECK 600V	18
19A1015	10-15C TECK 600V	26

19C7503	750-3C TECK 1KV	28
19A1210	12-10C TECK 600V	19
19C0203	2-3C TECK 1KV	22
19A1004	10-4C TECK 600V	13
19A1010	10-10C TECK 600V	30
19C0003	3/0-3C TECK 1KV	8
19A1003	10-3C TECK 600V	19
19C1003	10-3C TECK 1KV	13
19A1008	10-8C TECK 600V	26
19C3503	350-3C TECK 1KV	23
19A1404	14-4C TECK 600V	14
19C0602	6-2C TECK 1KV	10
19C0802	8-2C TECK 1KV	16
19A1440	14-40C TECK 600V	5
19A1440	14-40C TECK 600V	12
19A1430	14-30C TECK 600V	23
19A1403	14-3C TECK 600V	25
19C1203	12-3C TECK 1KV	15
19C2503	250-3C TECK 1KV	26
19C2504	250-4C TECK 1KV	13
19C0103	1-3C TECK 1KV	14
19C03	1/0-3C TECK 1KV	17
19C0802	8-2C TECK 1KV	16
19C7503	750-3C TECK 1KV	21
19A1402	14-2C TECK 600V	14
19C2503	250-3C TECK 1KV	21
19C004	2/0-4C TECK 1KV	12
19A1404	14-4C TECK 600V	14
19A1002	10-2C TECK 600V	24
19A1010	10-10C TECK 600V	25
19C2503	250-3C TECK 1KV	18
19A1420	14-20C TECK 600V	19
19A1002	10-2C TECK 600V	9
19C3503	350-3C TECK 1KV	20
19C3003	300-3C TECK 1KV	11
19C3004	300-4C TECK 1KV	10
19A1402	14-2C TECK 600V	9
19C3503	350-3C TECK 1KV	16
19C04	1/0-4C TECK 1KV	10
19C00003	4/0-3C TECK 1KV	23
19C00003	4/0-3C TECK 1KV	27
19C00003	4/0-3C TECK 1KV	2
19C0303	3-3C TECK 1KV	24
19C5003	500-3C TECK 1KV	12
19C5003	500-3C TECK 1KV	11
HIGH VOLTAGE & SPECIALTY TECK		
20D3503	350-3C TECK 15KV 133% - 15% overlap SHLD	18

20A2503	250-3C TECK 5KV UNSHLD ORANGE	18
20A00003	4/0-3C TECK 5KV UNSHLD ORANGE	11
20A03	1/0-3C TECK 5KV UNSHLD ORANGE	24
20A5003	500-3C TECK 5KV UNSHLD ORANGE	31
20D5003	500-3C TECK 15KV 133% - 15% overlap SHLD	15
20D00003	4/0-3C TECK 15KV SHLD RED 133%	15
X--20B3503	250-3C TECK 5KV SHLD ORANGE 133%	29
20B00003	4/0-3C TECK 5KV SHLD ORANGE 133%	20
20A0603	6-3C TECK 5KV UNSHLD ORANGE	11
20B003	2/0-3C TECK 5KV SHLD ORANGE	28
X-20D5003	500-3C TECK 15KV 133% - 15% overlap SHLD	15
20A0203	2-3C TECK 5KV UNSHLD ORANGE	24
ARMoured ALUMINUM BLDG WIRE		
220230	350-3C STR ACWU-90 600V	13
220230	350-3C STR ACWU-90 600V	24
220210	4/0-3C STR ACWU-90 600V	10
220210	4/0-3C STR ACWU-90 600V	21
220370	500-4C STR ACWU-90 600V	9
220350	350-4C STR ACWU-90 600V	15
220190	2/0-3C STR ACWU-90 600V	13
220230	350-3C STR ACWU-90 600V	16
220250	500-3C STR ACWU-90 600V	22
220370	500-4C STR ACWU-90 600V	26
220250	500-3C STR ACWU-90 600V	28
220250	500-3C STR ACWU-90 600V	15
220260	6-4C STR ACWU-90 600V	31
220190	2/0-3C STR ACWU-90 600V	15
220220	250-3C STR ACWU-90 600V	11
220180	1/0-3C STR ACWU-90 600V	14
220330	4/0-4C STR ACWU-90 600V	20
220210	4/0-3C STR ACWU-90 600V	24
220320	3/0-4C STR ACWU-90 600V	14
220150	4-3C STR ACWU-90 600V	27
220340	250-4C STR ACWU-90 600V	10
220180	1/0-3C STR ACWU-90 600V	15
220150	4-3C STR ACWU-90 600V	23
220350	350-4C STR ACWU-90 600V	16
UNDERGROUND SERVICE		
230100	300-2C USEB-90 70% 600V 90C	20
230100	300-2C USEB-90 70% 600V 90C	21
235340108	4/0-2C USEB-90 70% 600V 90C	28
235340104	1/0-2C USEB-90 70% 600V 90C	30
OVERHEAD SERVICE		
24A0603	6-3C TRIPLEX NS-75 600V	30
24A0403	4-3C TRIPLEX NS-75 600V	16
NON-METALLIC COPPER BLDG WIRE		
250200	8-2C STR NMWU 300V 60C	20

250190	10-2C SOL NMWU 300V 60C	26
250190	10-2C SOL NMWU 300V 60C	19
250210	6-2C STR NMWU 300V 60C	19
250180	12-2C SOL NMWU 300V 60C XLONG LENGTH	17
250200	8-2C STR NMWU 300V 60C	14
250280	8-3C STR NMWU 300V 60C	16
250190	10-2C SOL NMWU 300V 60C	22
250120	8-3C STR NMD90 300V 90C WHITE	22
X-LINKED POLY COPPER BLDG WIRE		
262240	500-1C 37STR RW90 600V 90C BLUE XLONG LENGTH	14
261620	3/0-1C 19STR RW90 600V 90C RED XLONG LENGTH	19
261720	4/0-1C 19STR RW90 600V 90C RED XLONG LENGTH	11
261710	4/0-1C 19STR RW90 600V 90C WHITE XLONG LENGTH	14
261500	2/0-1C 19STR RW90 600V 90C BLACK XLONG LENGTH	11
261100	3-1C 7STR RW90 600V 90C BLACK X LONG LENGTH	9
261340	1-1C 19STR RW90 600V 90C BLUE XLONG LENGTH	14
261140	3-1C 7STR RW90 600V 90C BLUE X LONG LENGTH	9
261020	4-1C 7STR RW90 600V 90C RED X LONG LENGTH	27
260910	6-1C 7STR RW90 600V 90C WHITE X LONG LENGTH	14
262040S	350-1C 37STR RW90 600V 90C BLUE SIMPULL XLL	30
261720	4/0-1C 19STR RW90 600V 90C RED XLONG LENGTH	21
260810	8-1C 7STR RW90 600V 90C WHITE X LONG LENGTH	27
262010S	350-1C 37STR RW90 600V 90C WHITE SIMPULL XLL	16
261620	3/0-1C 19STR RW90 600V 90C RED XLONG LENGTH	12
261710	4/0-1C 19STR RW90 600V 90C WHITE XLONG LENGTH	24
261400	1/0-1C 19STR RW90 600V 90C BLACK XLONG LENGTH	14
261400	1/0-1C 19STR RW90 600V 90C BLACK XLONG LENGTH	13
261500	2/0-1C 19STR RW90 600V 90C BLACK XLONG LENGTH	5
261110	3-1C 7STR RW90 600V 90C WHITE X LONG LENGTH	6
261530	2/0-1C 19STR RW90 600V 90C GREEN XLONG LENGTH	9
261240	2-1C 7STR RW90 600V 90C BLUE X LONG LENGTH	14
261600	3/0-1C 19STR RW90 600V 90C BLACK XLONG LENGTH	13
260810	8-1C 7STR RW90 600V 90C WHITE X LONG LENGTH	17
261710	4/0-1C 19STR RW90 600V 90C WHITE XLONG LENGTH	18
261700	4/0-1C 19STR RW90 600V 90C BLACK XLONG LENGTH	12
261320	1-1C 19STR RW90 600V 90C RED XLONG LENGTH	14

261710	4/0-1C 19STR RW90 600V 90C WHITE XLONG LENGTH	6
260940	6-1C 7STR RW90 600V 90C BLUE X LONG LENGTH	11
260900	6-1C 7STR RW90 600V 90C BLACK X LONG LENGTH	14
260820	8-1C 7STR RW90 600V 90C RED X LONG LENGTH	27
260920	6-1C 7STR RW90 600V 90C RED X LONG LENGTH	29
262000	350-1C 37STR RW90 600V 90C BLACK XLONG LENGTH	9
261320	1-1C 19STR RW90 600V 90C RED XLONG LENGTH	28
260900	6-1C 7STR RW90 600V 90C BLACK X LONG LENGTH	15
260920	6-1C 7STR RW90 600V 90C RED X LONG LENGTH	7
260800	8-1C 7STR RW90 600V 90C BLACK X LONG LENGTH	15
261500	2/0-1C 19STR RW90 600V 90C BLACK XLONG LENGTH	10
262200	500-1C 37STR RW90 600V 90C BLACK XLONG LENGTH	16
262200	500-1C 37STR RW90 600V 90C BLACK XLONG LENGTH	6
COPPER BUILDING WIRE		
273810	8-1C 19STR T90/TWN75 600V 90C WHT	18
273810	8-1C 19STR T90/TWN75 600V 90C WHT	30
273820	8-1C 19STR T90/TWN75 600V 90C RED	13
271530	2/0-1C 19STR TW75 600V 75C GRN	12
271230	2-1C 7STR TW75 600V 75C GREEN	29
273800	8-1C 19STR T90/TWN75 600V 90C BLK	19
UNDERGROUND BLDG WIRE		
280920	6-1C 7STR RWU90 1KV 90C RED	17
280840	8-1C 7STR RWU90 1KV 90C BLUE	17
280820	8-1C 7STR RWU90 1KV 90C RED	12
281010	4-1C 7STR RWU90 1KV 90C WHITE	30
280930	6-1C 7STR RWU90 1KV 90C GREEN	21
280830	8-1C 7STR RWU90 1KV 90C GREEN	27
281100	3-1C 7STR RWU90 1KV 90C BLACK	10
BARE COPPER		
2BS0207	2-1C 7STR SOFT BARE COPPER	11
2BS0019	2/0-1C 19STR SOFT BARE COPPER	12
2BS0019	2/0-1C 19STR SOFT BARE COPPER	14
2BS0207	2-1C 7STR SOFT BARE COPPER	17
2BS00019	3/0-1C 19STR SOFT BARE COPPER	31
2BS000019	4/0-1C 19STR SOFT BARE COPPER	14
2BS000019	4/0-1C 19STR SOFT BARE COPPER	19
2BS0019	2/0-1C 19STR SOFT BARE COPPER	14
2BS0019	2/0-1C 19STR SOFT BARE COPPER	18
2BS0607	6-1C 7STR SOFT BARE COPPER	23
2BS000019	4/0-1C 19STR SOFT BARE COPPER	16
2BS0607	6-1C 7STR SOFT BARE COPPER	22
ALUMINUM BUILDING WIRE		

302420	750-1C 61STR ALUM RW90 RED SIMPULL XLL	26
302440	750-1C 61STR ALUM RW90 BLUE SIMPULL XLL	23
302400	750-1C 61STR RW90 ALUMINUM BLACK	29
302410	750-1C 61STR ALUM RW90 WHITE SIMPULL XLL	31
309038	2-3C STR NMD90 ALUMINUM	18
309038	2-3C STR NMD90 ALUMINUM	19
302440	750-1C 61STR ALUM RW90 BLUE SIMPULL XLL	18
302400	750-1C 61STR RW90 ALUMINUM BLACK	26
301400	1/0-1C 10STR RW90 ALUMINUM BLACK	19
301710	4/0-1C 19STR RW90 ALUMINUM WHITE	17
302400	750-1C 61STR RW90 ALUMINUM BLACK	16
301400	1/0-1C 10STR RW90 ALUMINUM BLACK	25
301410	1/0-1C 10STR RW90 ALUMINUM WHITE	28
301000	4-1C 7STR RW90 ALUMINUM BLACK	15
301340	1-1C 8STR RW90 ALUMINUM BLUE	11
301200	2-1C 6STR RW90 ALUMINUM BLACK	22
301410	1/0-1C 10STR RW90 ALUMINUM WHITE	26
302400	750-1C 61STR RW90 ALUMINUM BLACK	19
300930	6-1C 7STR RW90 ALUMINUM GREEN	31
302400	750-1C 61STR RW90 ALUMINUM BLACK	28
302440	750-1C 61STR ALUM RW90 BLUE SIMPULL XLL	29
302410	750-1C 61STR ALUM RW90 WHITE SIMPULL XLL	19
302440	750-1C 61STR ALUM RW90 BLUE SIMPULL XLL	20
301900	300-1C 21STR RW90 ALUMINUM BLACK	17
302410	750-1C 61STR ALUM RW90 WHITE SIMPULL XLL	21
302240	500-1C 34STR ALUM RW90 BLUE SIMPULL XLL	12
302200	500-1C 34STR RW90 ALUMINUM BLACK	11
302400	750-1C 61STR RW90 ALUMINUM BLACK	22
302000	350-1C 35STR RW90 ALUMINUM BLACK	18
302020	350-1C 35STR RW90 ALUMINUM RED	27
302010	350-1C 35STR RW90 ALUMINUM WHITE	25
302040	350-1C 35STR RW90 ALUMINUM BLUE	25
302020	350-1C 35STR RW90 ALUMINUM RED	22
301840	250-1C 22STR ALUM RW90 BLUE SIMPULL XLL	8
302400	750-1C 61STR RW90 ALUMINUM BLACK	17
301410	1/0-1C 10STR RW90 ALUMINUM WHITE	26
301820	250-1C 22STR ALUM RW90 RED SIMPULL XLL	4
302240	500-1C 34STR ALUM RW90 BLUE SIMPULL XLL	13
302220	500-1C 34STR ALUM RW90 RED SIMPULL XLL	23
302000	350-1C 35STR RW90 ALUMINUM BLACK	21
302420	750-1C 61STR ALUM RW90 RED SIMPULL XLL	17
301030	4-1C 7STR RW90 ALUMINUM GREEN	16
301240	2-1C 6STR RW90 ALUMINUM BLUE	20
301200	2-1C 6STR RW90 ALUMINUM BLACK	22
302420	750-1C 61STR ALUM RW90 RED SIMPULL XLL	18
302440	750-1C 61STR ALUM RW90 BLUE SIMPULL XLL	17
302400	750-1C 61STR RW90 ALUMINUM BLACK	18

302440	750-1C 61STR ALUM RW90 BLUE SIMPULL XLL	7
302240	500-1C 34STR ALUM RW90 BLUE SIMPULL XLL	25
301000	4-1C 7STR RW90 ALUMINUM BLACK	23
301030	4-1C 7STR RW90 ALUMINUM GREEN	16
302300	600-1C 37STR RW90 ALUMINUM BLACK	18
301000	4-1C 7STR RW90 ALUMINUM BLACK	28
302410	750-1C 61STR ALUM RW90 WHITE SIMPULL XLL	20
WELDING CABLE		
320020	4-1C COMMERCIAL GRADE BLACK WELDING CABLE -50C to 105C	17
320060	2/0-1C COMMERCIAL GRADE BLACK WELDING CABLE - 50C to 105C	20
INSTRUMENTATION		
33H1624X	16-24PR SPOS XLPE/PVC 300V AIA	12
33XJK1601	16-1PR POS KX XLPE T/COUPLE 600V AIA	13
33H1812X	18-12PR SPOS XLPE/PVC 300V AIA	27
33K1806X	18-6TR STOS XLPE/PVC 300V AIA	16
33K1612X	16-12TR STOS XLPE/PVC 300V AIA	28
33H1624X	16-24PR SPOS XLPE/PVC 300V AIA	29
33K1606X	16-6TR STOS XLPE/PVC 300V AIA	14
33H1636X	16-36PR SPOS XLPE/PVC 300V AIA	23
33K1612X	16-12TR STOS XLPE/PVC 300V AIA	14
33H1612X	16-12PR SPOS XLPE/PVC 300V AIA	14
33H1624X	16-24PR SPOS XLPE/PVC 300V AIA	12
33H1624X	16-24PR SPOS XLPE/PVC 300V AIA	16
33H1812X	18-12PR SPOS XLPE/PVC 300V AIA	15
33H1616X	16-16PR SPOS XLPE/PVC 300V AIA	10
33K1616X	16-16TR STOS XLPE/PVC 300V AIA	14
33K1612X	16-12TR STOS XLPE/PVC 300V AIA	19
33K1616X	16-16TR STOS XLPE/PVC 300V AIA	13
33H1624X	16-24PR SPOS XLPE/PVC 300V AIA	18
33K1606X	16-6TR STOS XLPE/PVC 300V AIA	16
33K1604X	16-4TR STOS XLPE/PVC 300V AIA	12
33K1801X	18-1TR TOS XLPE/PVC 300V AIA	30
33H1802X	18-2PR SPOS XLPE/PVC 300V AIA	14
33K1801X	18-1TR TOS XLPE/PVC 300V AIA	20
33H1808X	18-8PR SPOS XLPE/PVC 300V AIA	17
33H1616X	16-16PR SPOS XLPE/PVC 300V AIA	31
33H1608X	16-8PR SPOS XLPE/PVC 300V AIA	12
33H1612X	16-12PR SPOS XLPE/PVC 300V AIA	31
33I1612X	16-12PR SPOS XLPE/PVC 600V AIA	30
33XJH1601	16-1PR POS JX T/COUPLE 300V AIA	20
33H1612X	16-12PR SPOS XLPE/PVC 300V AIA	19
33H1601X	16-1PR POS XLPE/PVC 300V AIA	11
33K1606X	16-6TR STOS XLPE/PVC 300V AIA	16
33H1604X	16-4PR SPOS XLPE/PVC 300V AIA	10
33H1601X	16-1PR POS XLPE/PVC 300V AIA	13

33H1601X	16-1PR POS XLPE/PVC 300V AIA	17
33K1601X	16-1TR TOS XLPE/PVC 300V AIA	15
33H1601X	16-1PR POS XLPE/PVC 300V AIA	23
33H1601X	16-1PR POS XLPE/PVC 300V AIA	17
33K1604X	16-4TR STOS XLPE/PVC 300V AIA	19
33H1602X	16-2PR SPOS XLPE/PVC 300V AIA	14
33H1606X	16-6PR SPOS XLPE/PVC 300V AIA	11
33H1804X	18-4PR SPOS XLPE/PVC 300V AIA	18
33H1802X	18-2PR SPOS XLPE/PVC 300V AIA	14
33H1601X	16-1PR POS XLPE/PVC 300V AIA	21
33H1612X	16-12PR SPOS XLPE/PVC 300V AIA	31
33H1604X	16-4PR SPOS XLPE/PVC 300V AIA	12
33H1616X	16-16PR SPOS XLPE/PVC 300V AIA	11
33H1601X	16-1PR POS XLPE/PVC 300V AIA	10
33H1608X	16-8PR SPOS XLPE/PVC 300V AIA	25
33H1604X	16-4PR SPOS XLPE/PVC 300V AIA	26
33K1602X	16-2TR STOS XLPE/PVC 300V AIA	17
33H1612X	16-12PR SPOS XLPE/PVC 300V AIA	21
33H1808X	18-8PR SPOS XLPE/PVC 300V AIA	18
HOOK-UP & LEAD WIRE		
X-1550-WHITE-100	1C 1550 ALPHA HOOKUP WIRE WHITE (100FT)	30
X-1550-WHITE-100	1C 1550 ALPHA HOOKUP WIRE WHITE (100FT)	30
X-1550-BLACK-100	1C 1550 ALPHA HOOKUP WIRE BLACK (100FT)	30
X-1550-BLACK-100	1C 1550 ALPHA HOOKUP WIRE BLACK (100FT)	30
X-1550-BLACK-100	1C 1550 ALPHA HOOKUP WIRE BLACK (100FT)	30
34B1626203	16-1C 26STR TC TEW 600V X300 RED	29
BELDEN PRODUCTS		
36123107A	22-2PR STR DL/PVC FL&90%TCB 300V AIA	16
36123092A	RG6U 18SOL CCS FPE QUAD SHLD AIA BLK	30
36123092A	RG6U 18SOL CCS FPE QUAD SHLD AIA BLK	29
36123107A	22-2PR STR DL/PVC FL&90%TCB 300V AIA	20
36121872A	23-4PR SOL DATATUFF CAT6 CMR AIA BLK	24
36YC48122	23-4PR SOLX2 MEDIATWIST CAT6 AIA BLUE	20
36121702A	24-4PR SOL X2 DATATWST350 CAT5E AIA BLUE	26
36YC48122	23-4PR SOLX2 MEDIATWIST CAT6 AIA BLUE	28
36121702A	24-4PR SOL X2 DATATWST350 CAT5E AIA BLUE	14
36121872A-40	23-4PR SOL MEDIATWIST CAT6 CMR AIA BLUE	31
36121872A-40	23-4PR SOL MEDIATWIST CAT6 CMR AIA BLUE	21
TELECOM & DATA		
37GC2404	24-4PR SOL UTP CAT5E BURIAL BBDE	29
37ZA2404EL40	23-4PR SOL UTP CAT6 CMR BLUE AIA	28
37C2206	22-6PR SEALPIC-FSF BURIAL	28
37ID2404	23-4PR SOL UTP CAT6 BURIAL BBD6	26
37ZA2404EL40	23-4PR SOL UTP CAT6 CMR BLUE AIA	25
37ZAS2404EL40	23-4PR SOL STP CAT6 CMR AIA BLUE	23
37ZA2404EL40	23-4PR SOL UTP CAT6 CMR BLUE AIA	20
37UA2404E-40	24-4PR SOL UTP CAT5E AIA BLUE CMR	19

37ID2404	23-4PR SOL UTP CAT6 BURIAL BBD6	10
37UA2404H-40	24-4PR SOL UTP DATATUFF CAT5E AIA HL BLU	27
37UA2404H-40	24-4PR SOL UTP DATATUFF CAT5E AIA HL BLU	22
LOW VOLTAGE		
39E1803-1	18-3C SOL FIRE ALRM 105C 300V FT4 SR X75	21
MISC. SPECIALTY CABLE		
44CCS2STR4DJV	#2 7STR COPPERCLAD STEEL 40% DSA GRAY JACKETED	6
44CCS2/04DJV	2/0 COPPERCLAD STEEL 40% DSA JACKETD	17
44CCS2STR4DJV	#2 7STR COPPERCLAD STEEL 40% DSA GRAY JACKETED	28
RPVU CABLES		
44ASB21019-20	10-1C 19STR BC RPVU90 2KV RED	22
PUMP CABLE		
45A1204	12-4C STR PUMP CABLE	18
45A1204	12-4C STR PUMP CABLE	20
CONTROL & TRAFFIC		
46G0201-50	2-1C XLPE PVC 1KV CSA TRAY FT4 GRN W/Y	23
46A1203X	12-3C 7STR B XLPE/PVC 600V CSA TRAY	22
46A1003X	10-3C 7STR B XLPE/PVC 600V CSA TRAY	28
46IMSA1419	IMSA PE/PVC 19C 14/1B IMSA 19-1C CSA	22
46A1202X	12-2C 7STR B XLPE/PVC 600V CSA TRAY	16
46G0601	6-1C XLPE PVC 1KV CSA TRAY FT4 GREEN	25
46G001	2/0-1C XLPE PVC 1KV CSA TRAY FT4 GREEN	14
46C0603X	6-3C XLPE/PVC 1000V CSA TRAY	29
46G001	2/0-1C XLPE PVC 1KV CSA TRAY FT4 GREEN	18
46A1020X	10-20C 7STR B XLPE/PVC 600V CSA TRAY	26
46A1020X	10-20C 7STR B XLPE/PVC 600V CSA TRAY	13
46G0201	2-1C XLPE PVC 1KV CSA TRAY FT4 GREEN	28
46G001	2/0-1C XLPE PVC 1KV CSA TRAY FT4 GREEN	21
46G0201	2-1C XLPE PVC 1KV CSA TRAY FT4 GREEN	10
FIBER OPTIC		
49AIA06MM	6FBR MM LT IN/OUT AIA BLK JKT WITH ORANGE STRIPE	27
49AIA06MM	6FBR MM LT IN/OUT AIA BLK JKT WITH ORANGE STRIPE	30